

T2025P

Sub-Compact, Series 2
24.7 hp



A sub-compact tractor engineered for productivity inside and out

The T2025P sub-compact tractor is your capable partner for turning outdoor plans into reality—whether you're maintaining a healthy lawn, cultivating a hobby farm, or creating a backyard retreat. Compact in size yet powerful in performance, this tractor delivers the muscle you need along with exceptional maneuverability and premium features you'll appreciate.



1. Mechanical suspension seat



3. Tool box




5. High visibility lever



2. Integrated work signal lighting



4. Easy reach SCV lever




6. Easy oil access




3-Point Hitch With Powerful Lift Capacity

The 3-point linkage on the rear has an impressive lift capacity that reaches the end ball joint. The rear PTO control can be used to adjust rpm based on the task, increasing it for more intensive applications like slashing and digging.



Flip PTO Cover

Enhanced safety and protection for your PTO shaft with the convenient Flip PTO Cover. When not in use, it shields the PTO from debris and obstructions, while the flip-up design allows quick, effortless access whenever you need it.



Loader Valve With Guard

Ready for work, this tractor features a 4-port floating/regen loader valve with an integrated guard that helps protect against damage from debris and obstacles encountered on the job.



Tilt steering wheel

The T2025P features a tilt steering wheel that allows quick, effortless adjustment to your preferred position via a convenient foot pedal for easy release and secure locking.



High-Capacity Fuel Tank for Extended Work

With an 8.5-gallon fuel tank—28% larger than its predecessor—this tractor keeps you working longer without frequent refueling. Combined with a fuel-efficient engine, it delivers uninterrupted performance, helping you tackle even the busiest seasons with maximum efficiency.



Steel Fender and Floor Panels

Built for strength and longevity, the T2025P features steel fenders and floor panels, delivering the durability needed to handle the toughest tasks with confidence.



Space-Saving Foldable ROPS

With a reduced height compared to its predecessor, the newly redesigned ROPS is easy to assemble and features a foldable design that allows further height reduction by folding to 90 or 180 degrees, providing added convenience for storage in low-clearance areas.



Optional 3rd Function Hydraulic Valve

The T2025P comes standard with a 2-button loader joystick, but for greater versatility, an optional True 3rd Function installation kit is available. This upgrade allows full use of a 4-in-1 bucket attachment, enabling lifting, tilting, dumping, and grappling for maximum productivity.

Technical specifications

ENGINE	
Engine Manufacturer	Yanmar 3TNV80F-NXDKTFX
Type	Natural aspiration
Gross engine power	24.7 hp 18.4 kW
PTO power	18.3 hp 13.6 kW
Rated engine speed	3000 rpm
No. of cylinders	3
Displacement	77.3 cu. in. 1267 cc
Air cleaner	Single dry
Alternator	12V, 40A
Fuel system	IDI

POWERTRAIN	
Transmission type	HST
No. of speeds	2
Max. traveling speed	13.57 mph 21.84 km/h
Brakes	Wet disc
Steering	Hydraulic
Clutch	N/A

CAPACITIES	
Fuel tank	8.4 gal 32 L
Coolant	3.6 gal 0.95 L
Transmission/Hydraulics system	4.49 gal 17 L
Front axle	4.5 L 1.18 gal

PTO	
PTO type	Independent
PTO control	Electric/Hydro
PTO rear	540 rpm

HYDRAULIC SYSTEM	
Pump type	Single gear pump
Implement flow	4.17 gpm 15.8 L/min
Steering flow	2.77 gpm 10.5 L/min
Total flow	6.94 gpm 26.3 L/min
Category, 3-point hitch	I
Hitch lift capacity	1550 lb 703 kg
Hitch lift capacity at 24 inches behind link ends	254 lb 557.8 kg
Lift control type	Position
No. of standard remote valves	4/2 (1 set)

DIMENSIONS & WEIGHTS	
Overall length with 3-point hitch	105.11 in. 2670 mm
Overall width	56.29 in. 1430 mm
Wheelbase	61.02 in. 1550 mm
Height to top of ROPS	85.94 in. 2183 mm
Min. ground clearance	10.23 in. 260 mm
Min. turn radius with brakes	102.40 in. 2601 mm
Min. turn radius without brakes	110.23 in. 2800 mm
Weight with ROPS	2206.8 lb 1000 kg

STANDARD TIRES	
R3 Turf - Front	23x8.5-12
R3 Turf - Rear	33x12.5-16.5
R4 Industrial - Front	23x8.5-14
R4 Industrial - Rear	14-17.5

FRONT TIRES	
Hybrid - Front	25x8.5-14
Hybrid - Rear	14-17.5

Upgrades for the Series 2 T2025P

Complement the capabilities of your TYM tractor with compatible accessories and options.

ACCESSORIES

Front counterweights

Mulching kits

ROPS-mounted bluetooth speaker

TB65A Mechanical Thumb

ROPS-mounted light kit

Mid-PTO kit

Block heater

BHPAD100 Street Pads

Auxiliary hydraulic kit

Rear wiper kit

OPTIONS

Tire	R3 Turf Tires	F Turf Master 23x8.50 - 12 NHS TL 4PR	R Multi-Trac CS 33x12.50-16.5 NHS TL 4PR
Cabin	CAB25		
Tire	R4 Industrial Tires	F Trac Chief 23x8.50 - 14 NHS TL 4PR	R Trac Chief 14-17.5 NHS TL 6PR





Designed for your world

TYM creates tractors that bring together alluring form, advanced function and accessible value. Through Korean expertise in design, engineering and manufacturing, the company helps owners overcome every obstacle as they shape the world around them.

Headquartered in Korea with distribution across North America, Europe, and Asia, and assembly operations in the USA, TYM has been empowering customers for over 70 years.

www.tym.world